


Radiographer Commenting Accuracy in A&E

! "#\$%&'()) *\$+#\$, '#-'&'+'((" . -*/'01'2&/#(, 2&34*2-'+'(%()) . \$%&+'+'4*#2'32*"#) #&\$21*'5&". &#('\$'(6)' */#%&' "#) &, *-7'\$&) *"#1'892&1-7: #+4'+4*'2*6*22#\$, "%#\$%#&\$' ;<&2/1'&\$/'! . "3&\$'=>>?@A(%B: ((/'&\$/'C##(%B'=>DEFG' H4#-'3'&1-'&\$'#\$+*, 2&""2("'#'\$'+4*'3&#*\$'+3&+4: &1';I#, . 2*' DF74*"3#\$, '+'('#) 32(5*'3&#*\$'+) &\$&, *) *\$+'&\$/'-&6*+1'#\$'+4*'6&%*' (6%. 22*\$'+2&/#(" (, 1/'*"'&1-' ;J %! (\$\$*""&\$/' K/'=>D?@J . 2341*'+'&"G'=>DEFG'

- H&#" (2&O"*+'(2*- *&2%4'P. *-#('\$' . -#\$, '/#&, \$(-+%'+'*-'&%%. 2&%1' ;CCQRHOF'62&) *: (2B'
- C. O"#-4* /'32(+(%("N'P. &"#1' &332&#-&"'+(("4*"3-'+'(2* / . %*' O#&-
- R(O. -+'&\$/'2*32(/. %#O"*') *+4(/(" (, 1';I#, . 2*' =F
- S. &"#1'2*- *&2%4' (. +3. +': 4#%4' 2&\$B-'4#, 4"1'('\$4#*2&2%41'(6' *5#/*\$%*' ;I#, . 2*' TF'
- O+2(\$, '#\$6". *\$%*'('\$'- *25#%*' / *5*" (3) *\$+



Study Objectives

- L5&". &+*'32#) &21'2*- *&2%4'('\$2&/#(, 2&34*2%'#\$%&' %()) *\$+#\$, '&%%. 2&%1'#\$'+4*'MNL'- *++\$,
- O. 33(2+%4&\$, *+'(%#\$%&'32&%+%'&\$/'6&%#"#&+*' - *25#%*' / *5*" (3) *\$+